Moths of America North of Mexico, Supplemental literature: II

J. C. E. Riotte

Department of Entomology, Bishop Museum, P. O. Box 19000-A, Honolulu, HI 96819

This series is not affiliated with the *Moths of America North of Mexico* project, but is published with the approval of the Moths of America North of Mexico editors.—Editor.

Fascicle 6.2, Gelechioidea, Oecophoridae

Berenbaum, M. 1982. New hostplant records for Agonopteryx clemensella (Oecophoridae). J. Lepid. Soc. 36:160.

Fascicle 13, Pyraloidea

- Allyson, S. 1981. Description of the last instar larva of the cabbage webworm, Hellula rogatalis (Lepidoptera: Pyralidae), with a key to larvae of North American species of Hellula Guenee. Can. Ent. 113:361-364.
- Allyson, S. 1981. Last instar larvae of Pyraustini of America north of Mexico (Lepidoptera: Pyralidae). Can. Ent. 113:463-518.
- Kinser, P. D. and H. H. Neunzig. 1981. Description of the immature stages and biology of Synclita tinealis Munroe (Lepidoptera: Pyralidae: Nymphylinae). J. Lepid. Soc. 35:137-146.
- Tuskes, P. M. 1977. Observations on the biology of *Parargyractis confusalis*, an aquatic pyralid (Lepidoptera: Pyralidae). Can. Ent. 109:695-699.
- Tuskes, P. M. 1981. Factors influencing the abundance and distribution of two aquatic moths of the genus *Parargyractis* (Pyralidae). J. Lepid. Soc. 35:161-168.

Fascicle 20.1, Mimallonoidea and Bombycoidea (part)

- Darling, D. C. and N. F. Johnson. 1982. Egg mortality in the eastern tent caterpillar, Malacosoma americanum (Lepidoptera: Lasiocampidae): the role of accessory gland secretions and egg mass shape. Proc. Ent. Soc. Wash. 84: 448-460.
- Edgerly, J. S. and T. D. Fitzgerald. 1982. An investigation of behavioral variability within colonies of the eastern tent caterpillar *Malacosoma americanum* (Lepidoptera: Lasiocampidae). J. Kans. Ent. Soc. 55:145-155.
- Johnson, J. W. 1981. A desert subspecies of Gloveria medusa (Lasiocampidae). J. Lepid. Soc. 35:147-154. [Gloveria medusa editha n. ssp. from Pinyon Flat, 1200 m, Santa Rosa Mountains, Riverside Co., California.]

Fascicle 20.2, Bombycoidea, Saturniidae

- Jeffords, M. R., J. G. Sternburg and G. F. Waldbauer. 1979. Batesian mimicry: field demonstration of the survival value of pipevine swallowtail and monarch color patterns. Evolution 33:275-286.
- Jeffords, M. R., G. P. Waldbauer and J. G. Sternburg. 1980. Determination of the time of day at which diurnal moths painted to resemble butterflies are attacked by birds. Evolution 34:1205-1211.
- Metzler, E. H. 1980. Annotated checklist and distribution maps of the royal moths and giant silkworm moths (Lepidoptera: Saturniidae) in Ohio. Ohio Biol. Surv., Biol. Notes 14:IV+11 pp.
- Scriber, J. M. and P. Feeny. 1979. Growth of herbivorous caterpillars in relation to feeding specialization and to the growth from their foodplants. Ecology 60: 829-850.
- Waldbauer, G. P. and J. G. Sternburg. 1976. Saturniid moths as mimics: an alternative interpretation of attempts to demonstrate mimetic advantage in nature. Evolution 29:650-658.

Fascicle 20.2A, Bombycoidea, Saturniidae (part)

- Capinera, J. L., L. F. Wiener and P. R. Anamosa. 1980. Behavioral thermoregulation by late instar range caterpillar larvae *Hemileuca oliviae* Cockerell (Lepidoptera: Saturniidae). J. Kans. Ent. Soc. 53:631-638.
- Collins, M. M. and P. M. Tuskes. 1979. Reproductive isolation in sympatric species of dayflying moths (*Hemileuca*: Saturniidae). Evolution 33:728-733.
- Cryan, J. F. and R. Dirig. 1977. Moths of autumn: buck moths at the Pine Bush. Pine Bush History Preservation Project, Inc., Occas. Publ. 1:16 pp., 1 map.
- Hansen, J. D., J. C. Owens and E. W. Huddleston. 1981. Relation of headcapsule width to instar development in larvae of the range caterpillar, *Hemileuca oliviae* Cockerell (Lepidoptera: Saturniidae). J. Kans. Ent. Soc. 54:1-7.
- Hansen, J. D., J. A. Ludwig, J. C. Owens and E. W. Huddleston. 1982. Movement of late instars of the range caterpillar, *Hemileuca oliviae* (Lepidoptera: Saturniidae). J. Georgia Ent. Soc. 17:76-87.
- Johnson, J. W. and E. Walter. 1981. A new species of Coloradia in California (Saturniidae, Hemileucinae). J. Res. Lepid. 18:60-66. ("1979"). (Coloradia velda n.sp. from Coxie Meadow, San Bernardino Co., California; holotype in Walter Colln., pledged to Nat. Hist. Mus. of Los Angeles County.)
- Kendall, R. O. and R. S. Peigler. 1981. Hemileuca grotei (Saturniidae): its morphology, natural history, spatial and temporal distribution. J. Lepid. Soc. 35:41-50.
- Lemaire, C. 1981. A new subspecies of *Hemileuca maia* from Central Texas (Attacidae, Hemileucinae). J. Res. Lepid. 18:212-219. ("1979"). (*Hemileuca maia peigleri* n.ssp. from Ebony Hill Res. Sta., San Antonio, Bexar Co., Texas; holotype in Amer. Mus. Nat. Hist.)
- Lemaire, C. 1981. A new species [sic] of Automeris cecrops (Attacidae, Hemileucinae).
 J. Res. Lepid. 18:236-240. ("1979"). (Automeris cecrops peigleri n.ssp. from Laguna de Sanchez, Nuevo Leon, Mexico; holotype in Mus. Nat. d'Hist. Natur., Paris)
- Riotte, J. C. E. and R. S. Peigler. 1980(81). A revision of the American genus *Anisota* (Saturniidae). J. Res. Lepid. 19:101-180. [Errata J. Res. Lepid. 20:

122, 1982]

- Solomon, J. D. 1973. Evidence of potent sex attraction in the pinkstriped oakworm moth. J. Georgia Ent. Soc. 8:152.
- Watts, J. G. and T. D. Everett. 1976. Biology and behavior of the range caterpillar New Mexico State Univ. Agr. Exp. Sta. Bull. 646:32 pp.
- Worth, C. B. 1981. Frass-bound first instar larvae of *Citheronia regalis* (Saturniidae). J. Lepid. Soc. 35:159-160.
- Worth, C. B., A. P. Platt and T. F. Williams. 1982. Differential growth and utilization of three foodplants by first instar larvae of *Citheronia regalis* (Saturniidae). J. Lepid. Soc. 36:76-82.

Fascicle 20.2B, Bombycoidea, Saturniidae (part)

- Brown, C. H. 1975. Morphologically aberrant *Actias luna* (Lepidoptera: Saturniidae) from Georgia. J. Georgia Ent. Soc. 10:352-353.
- Brown, L. N. 1972. The silkmoths of Florida. Florida Naturalist 45:40-43.
- Brown, L. N. 1972. Mating behavior and life habits of the sweet-bay silk moth (*Callosamia carolina*). Science 176:73-75.
- Bryant, R. S. 1980. Repeated intergeneric attraction between indigenous and European silkmoths (Saturniidae). J. Lepid. Soc. 34:324.
- Donahue, J. P. 1979. Strategies for survival: the cause of a caterpillar. Terra 17:3-9. Ferguson, D. C. and V. A. Brou. 1981. A new species of *Automeris* Huebner (Saturniidae) from the Mississippi River delta. J. Lepid. Soc. 35:101-105. [Automeris louisiana n.sp. from Golden Meadow, Lafourche Parish, Louisiana]
- Lemaire, C. 1973. Revision du genre Automeris Huebner et des genres voisins: biogeographie, ethologie, morphologie, taxonomie (Lep. Attacidae). Mem. Mus. Natl. Hist. Nat. (ser. A) 79:233-422, pls. 30-49. [Includes all U.S.A. species: pamina, zephyria, io, iris. The second part of 3 parts: Part 1 (1971) was cited by Ferguson in Fasc. 20.2B; part 3 (1974) contributes nothing new to the North American fauna.]
- Lemaire, C. 1978. Les Attacidae americains. The Attacidae of America (= Saturniidae). Attacinae. Edition C. Lemaire, Neuilly-sur-Seine, France, 238 pp., 49 pls. [Reviewed in J. Lepid. Soc. 34:75-76, by R. S. Peigler]
- Lemaire, C. and R. S. Peigler. 1982. A study of Samia watsoni (Lepidoptera: Saturniidae). Nouv. Rev. Ent. 12:175-182. [Color plate J. Res. Lepid. 18:67, 1980]
- Lounibos, L. P. 1976. Initiation and maintenance of cocoon spinning behaviour by saturniid silkworms. Physiol. Ent. 1:195-206.
- Manley, T. R. 1982. Downy woodpeckers as predators of *Hyalophora cecropia* pupae. J. Lepid. Soc. 36:60-61.
- Miller, T. A. and W. J. Cooper. 1980. A modular, transportable habitat system for colonization of giant silkworm moths (Saturniidae). J. Lepid. Soc. 34:51-60.
- Peigler, R. S. 1979 (1981). Should *Callosamia securifera* (Lepidoptera: Saturniidae) be protected? Atala 7:9-11.
- Peigler, R. S. 1981. Demonstration of reproductive isolating mechanisms in *Callosamia* (Saturniidae) by artificial hybridization. J. Res. Lepid. 19:72-81. ("1980")
- Pyle, R. M. 1975. Silk moth of the railroad yards. Natural History 84(5):45-51. [Samia cynthia (Drury)]

134

- Sternburg, J. G., G. P. Waldbauer and A. G. Scarbrough. 1981(1982). Distribution of Cecropia moth (Saturniidae) in Central Illinois: a study in urban ecology. J. Lepid. Soc. 35:304-320.
- Toliver, M. E. and M. R. Jeffords. 1981. Long distance dispersal by *Callosamia promethea* (Saturniidae). J. Lepid. Soc. 35:76.
- Tuskes, P. M. and M. M. Collins. 1981. Hybridization of Saturnia mendocino and S. walterorum, and phylogenetic notes on Saturnia and Agapema (Saturniidae). J. Lepid. Soc. 35:1-21.
- Wagner, W. H., Jr. and M. R. Mayfield. 1980. Foodplants and cocoon construction in Antheraea polyphemus (Lepidoptera: Saturniidae) in southern Michigan. Great Lakes Ent. 13:131-138.
- Wagner, W. H., Jr., M. K. Hansen and M. R. Mayfield. 1981. True and false foodplants of *Callosamia promethea* (Lepidoptera: Saturniidae) in southern Michigan. Great Lakes Ent. 14:159-165.
- Wagner, W. H., Jr. and R. S. Peigler. 1981. Two notable range extensions for Callosamia securifera (Saturniidae) in Georgia and South Carolina. J. Lepid. Soc. 35:247.
- Walbauer, G. P. and J. G. Sternburg. 1982. Long mating flights by male *Hyalophora cecropia* (L.) (Saturniidae). J. Lepid. Soc. 36:154-155.
- Young, A. M. 1982. Predation on the pupae of Saturniidae (Lepidoptera) by Gray Squirrels in Wisconsin. Great Lakes Ent. 15:145.

Fascicle 21, Sphingoidea

- Brou, V. A., Jr. 1980. New status for *Eumorpha intermedia* (Sphingidae). J. Lepid. Soc. 34:302-306.
- Eiler, D. L. 1981. Sphinx frankii in Indiana. News Lepid. Soc. 1981(3):43.
- Kimmich, H. P. 1981. *Proserpinus clarkiae* Boisduval. News Lepid. Soc. 1981(3): 45. (foodplant note)
- Tuskes, P. M. 1980. The life history of Aellopos tantalus (Sphingidae). J. Lepid. Soc. 34:327-329.
- Tuskes, P. M. and J. F. Emmel. 1981. The life history and behavior of *Euproserpinus* euterpe (Sphingidae). J. Lepid. Soc. 35:27-33.

Fascicle 22.2, Noctuoidea, Lymantriidae

- Bacallado Aranega, J. J., M. R. Gomez Bustillo and A. Vives Moreno. 1981. Revision del status de las especies de la Peninsula Iberica y Canarias atribuendas a *Dasychira* Huebner 1809 (Lepidoptera-Lymantriidae). Shilap 9(33):7-14. [comments on generic names]
- Gomez Bustillo, M. R. and J. M. Mendez Garnica. 1980. El ciclo biologico de Elkneria pudibunda (L., 1758) en la Peninsula Iberica (Lep. Lymantriidae). Bol. Estac. Cent. Ecol. 9(17):79-83.
- Hanna, M. 1982. Gypsy moth (Lepidoptera: Lymantriidae): history of eradication efforts in Michigan, 1954-1981. Great Lakes Ent. 15:193-198.
- Mason, R. R. 1981. Host foliage in the susceptibility of forest sites in central California to outbreaks of the Douglass-fir Tussock Moth, *Orgyia pseudotsugata* (Lepidoptera: Lymantriidae). Can. Ent. 113:325-332.
- Morris, R. F., G. L. Greenslade and A. G. Raske. 1982. Notes on the occurrence of the gypsy moth, *Lymantria* (= *Porthetria*) dispar (Lepidoptera: Lymantriidae) in Newfoundland. Can. Ent. 114:879-880.